


7261

R Delphini

(1900.0) $20^{\text{h}} 10^{\text{m}} 5^{\text{s}}$ ($+2^{\circ} 90'$) $+ 8^{\circ} 47.1$ ($+0^{\circ} 18'$)

Color: 4.0; III.

Magnitudo: 8 - 12.



• • • • • • • • • • • • • •
7 8 9 10 11 12 13

Series II.


7431

S Delphini

(1900.0) $20^{\text{h}} 38^{\text{m}} 28^{\text{s}}$ ($+2^{\circ} 76'$) $+ 16^{\circ} 43' 7''$ ($+0' 21''$)

Color: 6.0; III.

Magnitudo: 9 - 11.



7 8 9 10 11 12 13

Series II.


7444

T Delphini

(1900.0) $20^{\text{h}} 40^{\text{m}} 43^{\text{s}}$ ($+2^{\circ} 78'$) $+ 16^{\circ} 2'.1$ ($+0'.22$)

Color: 2.0; —

Magnitudo: 9 - < 13.



• • • • • • • • •
7 8 9 10 11 12 13

Series II.


2528

R Geminorum

(1900.0) $7^{\text{h}} 1^{\text{m}} 20^{\text{s}}$ ($+3^{\circ} 62'$) + $22^{\circ} 51' 5''$ ($+0' 09''$)

Color: 5.7; —

Magnitudo: 7 - < 13.5



• • • • • • • • • • •
7 8 9 10 11 12 13

Series II.


2742

S Geminorum

(1900.0) $7^{\text{h}} 37^{\text{m}} 3^{\text{s}}$ ($+3^{\circ} 61'$) $+ 23^{\circ} 41'.1$ ($-0'.14$)

Color: 3; III.

Magnitudo: $8\frac{1}{2}$ - $< 13\frac{1}{2}$.



● ● ● ● ● ● ● ● ● ● ● ● ●
7 8 9 10 11 12 13


Series II.

2780

T Geminorum

(1900.0) $7^{\text{h}} 43^{\text{m}} 18^{\text{s}}$ ($+3^{\circ} 61'$) + $23^{\circ} 59'.0$ ($-0' 15'$)

Color: 3.0; III. Magnitudo: $8\frac{1}{2}$ - $< 13\frac{1}{2}$.




• • • • • • • • •
7 8 9 10 11 12 13

Series II.

2815

U Geminorum(1900.0) $7^{\text{h}} 49^{\text{m}} 10^{\text{s}}$ ($+3^{\circ} 56'$) + $22^{\circ} 15'.8$ ($-0'.15$)


Color: 0.0; — Magnitudo: 9 – 13.



Series II.

V Geminorum(1900.0) $7^{\text{h}} 17^{\text{m}} 34^{\text{s}}$ ($+3^{\circ} 37'$) + $13^{\circ} 17'.0$ ($+0'.11$)

Color: 2.8; —

Magnitudo: $8\frac{1}{2}$ - 13.

• • • • • • • • •
7 8 9 10 11 12 13


5770

R Herculis

(1900.0) $16^{\text{h}} 1^{\text{m}} 44^{\text{s}}$ ($+2^{\circ} 68$) $+ 18^{\circ} 38' 4$ ($-0' 16$)

Color: 2.0; III.

Magnitudo: $8\frac{1}{2}$ - < 13.



● ● ● ● ● ● ● ● ● ●
7 8 9 10 11 12 13

Series II.


6044

S Herculis

(1900.0) $16^{\text{h}} 47^{\text{m}} 21^{\text{s}}$ ($+2^{\circ} 73'$) $+ 15^{\circ} 6' 6''$ ($-0' 10''$)

Color: 5.6; III.

Magnitudo: $6\frac{1}{2}$ - $12\frac{1}{2}$.



● ● ● ● ● ● ● ● ● ●
7 8 9 10 11 12 13


Series II.

5889

U Herculis

(1900.0) $16^{\text{h}} 21^{\text{m}} 22^{\text{s}}$ ($+2^{\circ} 65'$) $+ 19^{\circ} 7.2' (-0' 14')$

Color: 6.5; III. Magnitude: 7 - 12.



● ● ● ● ● ● ● ● ● ● ● ● ●
7 8 9 10 11 12 13

Series II.


3170

S Hydrael

(1900.0) $8^{\text{h}} 48^{\text{m}} 21^{\text{s}}$ ($+8^{\circ} 13'$) $+ 3^{\circ} 26' 7''$ ($-0^{\circ} 22'$)

Color: 2.1; III.

Magnitudo: 8 - < 12.



• • • • • • • • • •
7 8 9 10 11 12 13

Series II.


3994

S Leonis

(1900.0) $11^{\text{h}} 5^{\text{m}} 41^{\text{s}}$ ($+3^{\circ} 11'$) $+ 6^{\circ} 0' 2''$ ($-0' 32''$)

Color: 0.0; —

Magnitudo: $9\frac{1}{2}$ - < 13.



7 8 9 10 11 12 13

Series II.

cf. Chart. Paris. 34.


3567

V Leonis

(1900.0) $9^{\text{h}} 54^{\text{m}} 28^{\text{s}}$ ($+3^{\circ} 36'$) $+ 21^{\circ} 44' 5$ ($-0' 29$)

Color: 1.7; III.

Magnitudo: $8\frac{1}{2}$ - $< 13\frac{1}{2}$.



7 8 9 10 11 12 13

Series II.


3890

W Leonis

(1900.0) $10^{\text{h}} 48^{\text{m}} 21^{\text{s}}$ ($+3^{\circ} 18'$) $+ 14^{\circ} 14.9$ ($-0.32'$)

Color: 3.5; —

Magnitudo: 9 – < 14.




● ● ● ● ● ● ● ● ● ● ● ● ●
7 8 9 10 11 12 13

Series II.

1761

R Orionis

(1900.0) $4^{\text{h}} 53^{\text{m}} 35^{\text{s}}$ ($+3^{\circ} 25'$) $+ 7^{\circ} 58'.7$ ($+0'.10$)Color: 4.9; — Magnitudo: 9 – $12\frac{1}{2}$.

7 8 9 10 11 12 13

Series II.


2100

U Orionis

(1900.0) $5^{\text{h}} 49^{\text{m}} 53^{\text{s}}$ ($+3^{\circ} 56'$) $+ 20^{\circ} 9' 5$ ($+0' 01'$)

Color: 7; III.

Magnitudo: 7 - < 12.




• • • • • • • • • • •
7 8 9 10 11 12 13

Series II.

1537

T Tauri

(1900.0) $4^{\text{h}} 16^{\text{m}} 10^{\text{s}}$ ($+3^{\circ} 49'$) $+19^{\circ} 17'.8$ ($+0'.15$)Color: 0; III¹Magnitudo: 10 – $13\frac{1}{2}$.

• • • • • • • • • • • •
7 8 9 10 11 12 13

Series II.


cf. Chart. Paris. 13.

6849

R Aquilae

(1900.0) $19^{\text{h}} 1^{\text{m}} 33^{\text{s}}$ ($+2^{\circ} 89'$) $+ 8^{\circ} 4' 8''$ ($+0' 09''$)

Color: 5.5; III. Magnitudo: $6\frac{1}{2}$ - 11.




● ● ● ● ● ● ● ● ● ● ●
7 8 9 10 11 12 13

Series II.

▲ R Arietis

(1900.0) $2^{\text{h}} 10^{\text{m}} 25^{\text{s}}$ ($+3^{\circ} 40'$) $+24^{\circ} 35'.5$ ($+0'.28$)

Color: 1.8; III. Magnitude: 8 – 12.




● ● ● ● ● ● ● ● ● ● ● ● ●
7 8 9 10 11 12 13

715

S Arietis(1900.0) $1^{\text{h}} 59^{\text{m}} 16^{\text{s}}$ ($+8^{\circ} 21'$) $+ 12^{\circ} 2'.8$ ($+0'.29$)

Color: 2; —

Magnitudo: $9\frac{1}{2}$ — $< 13\frac{1}{2}$.

7 8 9 10 11 12 13

Series II.

cf. Chart. Paris. 6.


1113

U Arietis

(1900.0) $3^{\text{h}} 5^{\text{m}} 30^{\text{s}}$ ($+3^{\circ} 32'$) $+ 14^{\circ} 25'.3$ ($+0'.23$)

Color: —; III.

Magnitudo: 8 - < 11.



Series II.

cf. Chart. Paris. 10.


5338

U Bootis

(1900.0) $14^{\text{h}} 49^{\text{m}} 42^{\text{s}}$ ($+2^{\circ} 78'$) $+ 18^{\circ} 6.0' (-0.25')$

Color: 2.7; —

Magnitudo: $9\frac{1}{2}$ — 13.



• • • • • • • • • • •
7 8 9 10 11 12 13


Series II.

3060

U Cancri

(1900.0) $8^{\text{h}} 30^{\text{m}} 3^{\text{s}}$ ($+3^{\circ} 44'$) $+19^{\circ} 14' 4''$ ($-0' 20''$)

Color: 2.3; — Magnitudo: 9 – < 13.



● ● ● ● ● ● ● ● ● ● ● ●
7 8 9 10 11 12 13


Series II.

2946

R Cancri

(1900.0) $8^{\text{h}} 11^{\text{m}} 3^{\text{s}}$ ($+3^{\circ} 32'$) $+ 12^{\circ} 2'.0$ ($-0' 18'$)

Color: 5.3; III. Magnitudo: 7 - < 12.



● ● ● ● ● ● ● ● ● ● ● ● ●
7 8 9 10 11 12 13

Series II.


2976

V Cancri

(1900.0) 8^h 16^m 1^s (+ 3.^s 43) + 17° 36'.1 (- 0'.19)

Color: 4.3; III.

Magnitudo: 7 – < 12.



7 8 9 10 11 12 13


Series II.

2691

T Canis Minoris

(1900.0) $7^{\text{h}} 28^{\text{m}} 26^{\text{s}}$ ($+3^{\circ} 34'$) + $11^{\circ} 57'.5$ ($-0' 12'$)

Color: 2; —

Magnitudo: $9\frac{1}{2}$ - < 13.

• • • • • • • • • • •
7 8 9 10 11 12 13


Series II.

2735.

U Canis Minoris

(1900.0) $7^{\text{h}}\ 35^{\text{m}}\ 55^{\text{s}}$ (+ $3^{\circ}\ 26'$) + $8^{\circ}\ 36'.8$ (- $0'.14$)

Color: 5.1; VI. **Magnitude:** $8\frac{1}{2}$ – 13.



7 8 9 10 11 12 13


Series II.

4315

R Comae

(1900.0) $11^{\text{h}} 59^{\text{m}} 7^{\text{s}}$ ($+3^{\circ} 08'$) + $19^{\circ} 20'.3$ ($-0'.33$)

Color: 4.0; — Magnitudo: $7\frac{1}{2}$ - < 13.




7 8 9 10 11 12 13

Series II.

1805
V Orionis

(1900.0) $5^{\text{h}} 0^{\text{m}} 47^{\text{s}}$ ($+3^{\circ} 16'$) $+ 3^{\circ} 58'.0$ ($+0'.09$)

Color: 4.2; — Magnitude: $8\frac{1}{2}$ — < 13.



• • • • • • • • •
7 8 9 10 11 12 13

Series II.


8290

R Pegasi

(1900.0) $23^{\text{h}} 1^{\text{m}} 38^{\text{s}}$ ($+3^{\circ} 01'$) $+ 10^{\circ} 0'.2$ ($+ 0'.82$)

Color: 4; III.

Magnitudo: $7\frac{1}{2}$ - < 13.



7 8 9 10 11 12 13


Series II.

8373

S Pegasi

(1900.0) **23^h 15^m 29^s** (+3.^s 03) + 8° 22.3 (+0.33)

Color: 1.7; III. **Magnitude:** $7\frac{1}{2}$ – < 13.



7 8 9 10 11 12 13


Series II.

7944

T Pegasi

(1900.0) $22^{\text{h}} 4^{\text{m}} 1^{\text{s}}$ ($+2^{\circ} 93$) $+ 12^{\circ} 3'.0$ ($+0' 29$)

Color: 3; — Magnitudo: 9 – < 13.




Series II.

R Piscium

(1900.0) $1^{\text{h}} 25^{\text{m}} 29^{\text{s}}$ (+ 3.09) + $2^{\circ} 21' .9$ (+ 0.31)

Color: 2.0; III.


Magnitudo: 8 - < 13.



7 8 9 10 11 12 13

S Piscium(1900.0) $1^{\text{h}} 12^{\text{m}} 21^{\text{s}}$ ($+3^{\circ} 13'$) $+ 8^{\circ} 24'.3$ ($+0'.32$)

Color: 1.0; III.

Magnitudo: $8\frac{1}{2}$ - < 14.

● ● ● ● ● ● ● ● ● ● ● ●

7 8 9 10 11 12 13


Series II.

cf. Chart. Paris. 4.

T Piscium(1900.0) $0^{\text{h}} 26^{\text{m}} 49^{\text{s}}$ ($+3^{\circ} 11'$) $+ 14^{\circ} 2' 9''$ ($+0' 33''$)

Color: 0; —


Magnitudo: 10 – 11.



● ● ● ● ● ● ● ●
7 8 9 10 11 12 13

U Piscium(1900.0) $1^{\text{h}} 17^{\text{m}} 41^{\text{s}}$ ($+3^{\circ} 17'$) $+12^{\circ} 20' 7''$ ($+0' 32''$)

Color: —; — Magnitudo: 10 – < 14.



• • • • • • • • •
7 8 9 10 11 12 13

Series II.


cf. Chart. Clinton. 3.

5677

R Serpentis

(1900.0) $15^{\text{h}} 46^{\text{m}} 5^{\text{s}}$ ($+2^{\circ} 76'$) $+ 15^{\circ} 26.3' (-0' 18')$

Color: 3.7; III. Magnitude: $6\frac{1}{2}$ - 13.



Series II.


5501

S Serpentis

(1900.0) $15^{\text{h}} 16^{\text{m}} 59^{\text{s}}$ ($+2^{\circ} 81'$) $+ 14^{\circ} 40' 4$ ($-0' 22'$)

Color: 4.1; III.

Magnitudo: 8 - $12\frac{1}{2}$




• • • • • • • • • • •
7 8 9 10 11 12 13

Series II.

R Tauri

(1900.0) $4^{\text{h}} 22^{\text{m}} 49^{\text{s}}$ ($+3^{\circ} 29'$) $+ 9^{\circ} 56'.4$ ($+0'.14$).

Color: 4.5; III. Magnitude: $8\frac{1}{2}$ - 13.



• • • • • • • • •
7 8 9 10 11 12 13

Series II.


1582

S Tauri

(1900.0) $4^{\text{h}} 23^{\text{m}} 43^{\text{s}}$ ($+3^{\circ} 28'$) $+ 9^{\circ} 43'.5$ ($+0'.14$)

Color: 2.5; —

Magnitude: $9\frac{1}{2}$ - < 13.



7 8 9 10 11 12 13

Series II.


1717

V Tauri

(1900.0) $4^{\text{h}} 46^{\text{m}} 15^{\text{s}}$ ($+3^{\circ} 47'$) $+ 17^{\circ} 22'.1$ ($+ 0'.11$)

Color: 3.3; III?

Magnitudo: 9 – $< 13\frac{1}{2}$.



• • • • • • • • • •
7 8 9 10 11 12 13

Series II.


1574

W Tauri

(1900.0) $4^{\text{h}} 22^{\text{m}} 15^{\text{s}}$ ($+3^{\circ} 42'$) $+ 15^{\circ} 49.2$ ($+0.14$)

Color: 5; III.

Magnitudo: $8\frac{1}{2}$ - 12.



7 8 9 10 11 12 13

Series II.


4596

U Virginis

(1900.0) $12^{\text{h}} 46^{\text{m}} 1^{\text{s}}$ ($+3^{\circ} 04'$) $+ 6^{\circ} 5' 8''$ ($-0' 33''$)

Color: 2; III.

Magnitudo: 8 - $12\frac{1}{2}$.




Series II.

7560

R Vulpeculae

(1900.0) $20^{\text{h}}\ 59^{\text{m}}\ 56^{\text{s}}$ (+ $2^{\text{s}}\ 66$) + $23^{\circ}\ 25'.5$ (+ $0'.24$)

Color: 2.0; **III.** **Magnitudo:** 8 – 13.



7 8 9 10 11 12 13

Series II.